











**Trade name :** eimü Double-Film-Dip

**Revision date:** 23.02.2023 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

eimü Double-Film-Dip

Product category: PP-BIO-3 - Biocidal products for veterinary hygiene

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Teat disinfection (pre-/post-milking), ready to use

### 1.3 Details of the supplier of the safety data sheet

### **Supplier**

Ferdinand Eimermacher GmbH & Co. KG

Street: Westring 24

Postal code/City: 48356 Nordwalde

Country: Deutschland

**Telephone:** +49 2573/9390-0 **Telefax:** +49 2573/2053

Information contact: info@eimermacher.de

www.eimermacher.de

# 1.4 Emergency telephone number

Germany: Poisons Information Centre Berlin Charité – Universitätsmedizin Berlin

Campus Benjamin Franklin

Haus VIII, UG Hindenburgdamm 30 D-12203 Berlin

+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

The hazardous substance labelling corresponds to the approval data of the Meta-SPC 3 of the iodine family of 05.08.2022.

Aquatic Chronic 3; H412 - Hazardous to the aquatic environment : Chronic 3; Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P102 Keep out of the reach of children.

P103 Read label before use.

P101 If medical advice is needed, have product container or label at hand.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local and national legislation.

### 2.3 Other hazards

None

Page: 1 / 10













**Trade name :** eimü Double-Film-Dip

**Revision date:** 23.02.2023 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### **Hazardous ingredients**

Alcohols, C9-11, ethoxylated ; CAS No. : 68439-46-3 Weight fraction :  $\geq$  1 - < 3 %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 IODINE ; REACH No. : 01-2119485285-XXXX ; EC No. : 231-442-4; CAS No. : 7553-56-2

Weight fraction :  $\geq$  0,25 - < 0,5 %

Classification 1272/2008 [CLP]: STOT RE 1; H372 Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400

Specific Conc. Limits: (M=1)

Alcohols, C12-14, ethoxylated; REACH No.: 01-2119487984-16-XXXX; EC No.: 500-213-3; CAS No.: 68439-50-9

Weight fraction :  $\geq$  0,25 - < 0,5 %

Classification 1272/2008 [CLP]: Aquatic Acute 1; H400 Aquatic Chronic 3; H412

Specific Conc. Limits: (M Acute=1)

**Additional information** 

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

When in doubt or if symptoms are observed, get medical advice. Remove contaminated, saturated clothing immediately.

### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

### In case of skin contact

Subsequently wash off with: Water and soap In case of skin reactions, consult a physician.

### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# Following ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunken in little sips (dilution effect). Seek medical advice immediately (poison centre).

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation of the stomach lining or gastrointestinal tract, nausea, vomiting.

### **Symptoms**

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known. In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

### 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Page: 2 / 10





ENSBONA







**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

# Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO2), Sand

### Unsuitable extinguishing media

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

## **5.3 Advice for firefighters**

### Special protective equipment for firefighters

Full protection suit, Use suitable breathing apparatus.

### 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clear contaminated areas thoroughly.

# 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

All work processes must always be designed so that the following is excluded: Skin contact Eye contact Inhalation of vapours or spray/mists

Use made-up preparation without delay - do not store. Put lids on containers immediately after use. Use only in well-ventilated areas.

### **Protective measures**

### Measures to prevent fire

Usual measures for fire prevention. Always close containers tightly after the removal of product.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep locked up and out of reach of children. Keep container tightly closed in a cool, well-ventilated place. Protect against UV-radiation/sunlight, Heat., Frost

# Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

### Hints on joint storage

Storage class (TRGS 510): 12

# 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

Page: 3 / 10













**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

# **SECTION 8: Exposure controls/personal protection**

Use personal protection equipment.

# 8.1 Control parameters

# Occupational exposure limit values

IODINE; CAS No.: 7553-56-2

Limit value type (country of origin): TRGS 900 ( D )

Limit value :  $0,1 \text{ ppm} / 1,1 \text{ mg/m}^3$ 

Peak limitation : 1(I) Remark : H

Version: 02.04.2014

### **DNEL-/PNEC-values**

### **DNEL/DMEL**

IODINE; CAS No.: 7553-56-2

Limit value type : DNEL worker (systemic)

Exposure route : Dermal Exposure frequency : Short-term

Limit value : 0,01 mg/kg bw/day
Limit value type : DNEL worker (systemic)

 $\begin{array}{lll} \mbox{Exposure route:} & \mbox{Inhalation} \\ \mbox{Exposure frequency:} & \mbox{Short-term} \\ \mbox{Limit value:} & \mbox{1 mg/m}^{3} \\ \end{array}$ 

Limit value type : DNEL worker (systemic)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 0,01 mg/kg bw/day
Limit value type : DNEL worker (systemic)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 0,07 mg/m³
Alcohols, C12-14, ethoxylated; CAS No.: 68439-50-9

Limit value type : DNEL/DMEL (Consumer)

Exposure route:

Cral
Exposure frequency:

Limit value:

25 mg/kg bw

Assessment factor:

1 day(s)

Limit value type : DNEL/DMEL (Consumer)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 87 mg/m³

Limit value type : DNEL/DMEL (Consumer)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 1250 mg/kg bw

Assessment factor: 1 D

Limit value type : DNEL/DMEL (Worker)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 2080 mg/kg bw/day

Limit value : 2080 mg/kg bw/day
Limit value type : DNEL/DMEL (Worker)

Exposure route : Inhalation Exposure frequency : Long-term

Page: 4 / 10













Trade name : eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

Limit value: 294 mg/m<sup>3</sup>

**PNEC** 

IODINE; CAS No.: 7553-56-2

Limit value type: PNEC (Aquatic, freshwater)

Limit value : 0,01813 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,06 mg/l

Limit value type : PNEC (Sediment, freshwater)

Limit value : 3,99 mg/kg dw

Limit value type : PNEC (Sediment, marine water)

Limit value : 20,22 mg/kg dw
Limit value type : PNEC (Soil)
Exposure route : Soil

Limit value : 5,95 mg/kg dw

Limit value type : PNEC (Sewage treatment plant)

Limit value : 11 mg/l Alcohols, C12-14, ethoxylated ; CAS No. : 68439-50-9

Limit value type : PNEC (Aquatic, freshwater)

Limit value: 0,0437 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 0,0437 mg/l

Limit value type : PNEC (Sediment, freshwater)

Limit value : 31 mg/kg

Limit value type : PNEC (Sediment, marine water)

Limit value : 31 mg/kg
Limit value type : PNEC (Soil)
Limit value : 1 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Limit value : 10000 mg/l

# 8.2 Exposure controls

Immediately remove any contaminated clothing, shoes or stockings. Wash hands before breaks and after work. Provide adequate ventilation.

# Personal protection equipment Eye/face protection



Eye glasses with side protection EN 166

# Skin protection Hand protection



**EN ISO 374** 

By short-term hand contact: Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

By long-term hand contact: Check leak tightness/impermeability prior to use.

**Suitable material**: CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Butyl caoutchouc (butyl

ubber)

**Required properties**: When handling with chemical substances, protective gloves must be worn with the CE-label

including the four control digits. EN ISO 374

Breakthrough time: 480 min

Page: 5 / 10

(EN/D)













**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

### Thickness of the glove material: 5 mm

**Remark**: Check leak tightness/impermeability prior to use. Breakthrough times and swelling properties of the material must be taken into consideration.

#### **Body protection**

Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton), heat-resistant synthetic fibres

Chemical resistant safety shoes DIN EN 13832-2

# **Respiratory protection**

Usually no personal respirative protection necessary.

### **General information**

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid
Colour: brown
Odour: characteristic
Safety characteristics

Physical state:

Melting point/freezing point:

Initial boiling point and boiling range:

Decomposition temperature:

Auto-ignition temperature:

Inot determined not applicable not appli

Auto-ignition temperature :not applicableLower explosion limit :not applicableUpper explosion limit :not applicableVapour pressure :(50 °C)not applicableDensity :(20 °C)1,02 - 1,04g/cm³Solvent separation test :(20 °C)not applicable

Water solubility: (20 °C) 100 Weight-%

 Fat solubility:
 ( 20 °C )
 Not determined.

 pH:
 2,5 - 3,5

 log P O/W:
 not determined

**Flow time :** ( 20 °C ) not applicable DIN-cup 4 mm

**Viscosity :** (  $20 \, ^{\circ}\text{C}$  )  $15 - 25 \, \text{mPa*s}$ 

Cinematic viscosity:(40 °C)not relevantOdour threshold:not determinedRelative vapour density:(20 °C)not determinedVapourisation rate:not determined

Maximum VOC content (EC): 0 Weight-%

Flammable solids: Not applicable.
Flammable gases: Not applicable.
Oxidising liquids: Not relevant.
Explosive properties: Not applicable.
Corrosive to metals: Not relevant.

### 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

Page: 6 / 10

(EN/D)





ENSBONA"







**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

See section 7 of the safety data sheet.

### 10.5 Incompatible materials

Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Iodine

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Based on available data, the classification criteria are not met.

#### **Additional information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

### Corrosion

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

# Carcinogenicity

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

Page: 7 / 10













**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

# **SECTION 12: Ecological information**

### 12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

### **Aquatic toxicity**

Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

# 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# 12.8 Additional ecotoxicological information

### **Additional information**

Do not allow uncontrolled discharge of product into the environment.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Dispose according to legislation.

### 13.2 Additional information

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

# 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

# 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

Page: 8 / 10













**Trade name :** eimü Double-Film-Dip

**Revision date:** 23.02.2023 **Version (Revision):** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

### **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no.: 3

**National regulations** 

Biocide directive ((EU) No. 528/2012)

Water hazard class

Self-classification - Class: 2 (Obviously hazardous to water)

### 15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture a chemical safety assessment has been carried out:

IODINE; REACH No.: 01-2119485285-XXXX; EC No.: 231-442-4; CAS No.: 7553-56-2 (M=1)

Alcohols, C12-14, ethoxylated; REACH No.: 01-2119487984-16-XXXX; EC No.: 500-213-3; CAS No.: 68439-50-9 (M

Acute=1)

### **SECTION 16: Other information**

### 16.1 Indication of changes

03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road

ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways

ATE = Estimated values for acute toxicity

AwSV = Ordinance on Installations for Handling Substances Hazardous to Water

CAS = Chemical Abstract Service Number

CE = European Community

CLP = EC Regulation 1272/2008

CMR = cancerogen mutagen reprotoxic

DIN = German Institute for Standardisation

DNEL = Derived No Effect Level

DMEL = Derived Minimum Effect Level

EC50 = Mean effective concentration that induces a defined effect other than death in a test population

EG = European Community

EN = European standards

IATA = International Air Transport Association Dangerous Goods Regulation

IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities

IMDG = International Maritime Code for dangerous goods

ISO = International Organization for Standardization

LC50 = Lethal Concentration 50%

LD50 = Lethal dose 50%

MAK = Maximum workplace concentration

Page: 9 / 10













**Trade name :** eimü Double-Film-Dip

**Revision date :** 23.02.2023 **Version (Revision) :** 2.0.0 (1.0.0)

**Print date :** 01.02.2024

MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter

NOEC = No Observed Effect Concentration

OECD = Organisation for Economic Cooperation and Development

PBT = Persistent, bioaccumulative and toxic

pH = potential of hydrogen

PNEC = Predicted no effect concentration

PPM = parts per million

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)

RID = Regulation concerning the international transport of dangerous goods by train

TRGS = Technical rules for hazardous substances (german rules)

TWA = Time-weighted average exposure limit

UN-Number = UN number for the transport of dangerous goods

vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation

VOC = Volatile organic Compounds

### 16.3 Key literature references and sources for data

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The hazardous substance labelling corresponds to the approval data of the iodine family meta-SPC of 05.08.2022.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

# 16.6 Training advice

None

# 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10