



Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

eimü Hoof-Sprint Spray
Unique Formula Identifier (UFI) : Y274-9462-R00P-R4D3

1.2 Relevant identified uses of the substance or mixture and uses advised against
Relevant identified uses

Disinfectant

1.3 Details of the supplier of the safety data sheet

Supplier

Ferdinand Eimermacher GmbH & Co. KG

Street : Westring 24

Postal code/City : 48356 Nordwalde

Country : Deutschland

Telephone : +49 2573/9390-0

Telefax : +49 2573/2053

Information contact : info@eimermacher.de
www.eimermacher.de

1.4 Emergency telephone number

Germany: Poisons Information Centre Berlin
Charité – Universitätsmedizin Berlin
Campus Benjamin Franklin
Haus VIII, UG
Hindenburgdamm 30
D-12203 Berlin
+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.

Acute Tox. 4 ; H332 - Acute toxicity (inhalative) : Category 4 ; Harmful if inhaled.

Skin Corr. 1B ; H314 - Skin corrosion/irritation : Category 1B ; Causes severe skin burns and eye damage.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

Resp. Sens. 1 ; H334 - Sensitisation to the respiratory tract : Category 1 ; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)



Health hazard (GHS08) · Corrosion (GHS05) · Exclamation mark (GHS07)

Signal word

Danger

Hazard components for labelling

GLUTARAL ; CAS No. : 111-30-8

SALICYLIC ACID ; CAS No. : 69-72-7

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H314 Causes severe skin burns and eye damage.
H302+H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dusts or mists.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection
P310 Immediately call a POISON CENTER or doctor/physician.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P501 Dispose of contents/container to hazardous or special waste collection point

2.3 Other hazards

Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

GLUTARAL ; EC No. : 203-856-5; CAS No. : 111-30-8

Weight fraction : $\geq 10 - < 15$ %

Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Resp. Sens. 1 ; H334 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1A ; H317 STOT SE 3 ; H335 Aquatic Acute 1 ; H400 Aquatic Chronic 2 ; H411 EUH071

Specific Conc. Limits : STOT SE 3 ; H335: C $\geq 0,5$ % • (M Acute=1)

Sulfonic acids, C14-17-sec-alkane, sodium salts ; REACH No. : 01-2119489924-20-0000 ; EC No. : 307-055-2; CAS No. : 97489-15-1

Weight fraction : $\geq 1 - < 5$ %

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 3 ; H412

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

Specific Conc. Limits : Eye Dam. 1 ; H318: C ≥ 15 % • Eye Irrit. 2 ; H319: C ≥ 10 % • Skin Irrit. 2 ; H315: C ≥ 10 %

SALICYLIC ACID ; REACH No. : 01-2119486984-17-XXXX ; EC No. : 200-712-3; CAS No. : 69-72-7

Weight fraction : ≥ 1 - < 3 %

Classification 1272/2008 [CLP] : Repr. 2 ; H361d Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

In case of respiratory tract irritation, consult a physician. Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

In case of skin reactions, consult a physician. Wash immediately with: Water and soap

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately (poison centre).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known.

In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Foam , Carbon dioxide (CO₂) , Dry extinguishing powder , Sand , Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet , Strong water jet

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.



5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists

Handle and open container with care. Use only in well-ventilated areas.

Protective measures

Measures to prevent fire

Usual measures for fire prevention. Always close containers tightly after the removal of product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Protect against UV-radiation/sunlight , Heat.

Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

Storage class (TRGS 510) : 8B

7.3 Specific end use(s)

Observe instructions for use. see section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

GLYCEROL ; CAS No. : 56-81-5

Limit value type (country of origin) : TRGS 900 (D)

Parameter : E: inhalable fraction

Limit value : 200 mg/m³

Peak limitation : 2(I)

Version : 27.10.2020

GLUTARAL ; CAS No. : 111-30-8

Limit value type (country of origin) : TRGS 900 (D)

Limit value : 0,05 ppm / 0,2 mg/m³



Peak limitation : 2(I)

Remark : Sah, Y

Version : 23.06.2022

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

DNEL-/PNEC-values

DNEL/DMEL

GLUTARAL ; CAS No. : 111-30-8

Limit value type : DNEL worker (local and systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 0,0106 mg/m³

Sulfonic acids, C14-17-sec-alkane, sodium salts ; CAS No. : 97489-15-1

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Oral
Exposure frequency : Long-term
Limit value : 7,1 mg/kg
Assessment factor : day(s)

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 3,57 mg/kg
Assessment factor : day(s)

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 2,8 mg/cm²

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 2,8 mg/cm²

Limit value type : DNEL/DMEL (Consumer)

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 12,4 mg/m³

Limit value type : DNEL/DMEL (Worker)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 2,8 mg/cm²

Limit value type : DNEL/DMEL (Worker)

Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 5 mg/kg
Assessment factor : day(s)

Limit value type : DNEL/DMEL (Worker)

Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 2,8 mg/cm²

Limit value type : DNEL/DMEL (Worker)

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 35 mg/m³

PNEC

GLUTARAL ; CAS No. : 111-30-8

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 0,0025 mg/l



Limit value type : PNEC (Aquatic, intermittent release)

Limit value : 0,006 mg/l

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

Limit value type :	PNEC (Aquatic, marine water)
Limit value :	0,00025 mg/l
Limit value type :	PNEC (Sediment, freshwater)
Limit value :	0,091 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	0,009 mg/kg
Limit value type :	PNEC (Soil)
Limit value :	0,18 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	0,8 mg/l
Sulfonic acids, C14-17-sec-alkane, sodium salts ; CAS No. : 97489-15-1	
Limit value type :	PNEC (Aquatic, freshwater)
Exposure route :	Water (Including sewage plant)
Limit value :	0,06 mg/l
Limit value type :	PNEC (Aquatic, marine water)
Exposure route :	Water (Including sewage plant)
Limit value :	0,006 mg/l
Limit value type :	PNEC (Sediment, freshwater)
Exposure route :	Soil
Limit value :	9,4 mg/kg
Limit value type :	PNEC (Sediment, marine water)
Limit value :	0,94 mg/kg
Limit value type :	PNEC (Soil)
Exposure route :	Soil
Limit value :	9,4 mg/kg
Limit value type :	PNEC (Secondary poisoning)
Limit value :	53,5 mg/kg
Limit value type :	PNEC (Sewage treatment plant)
Limit value :	600 mg/l

8.2 Exposure controls

Personal protection equipment

Use personal protection equipment.

Eye/face protection



Eye glasses with side protection EN 166

Skin protection

Hand protection



By short-term hand contact : Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

By long-term hand contact : Check leak tightness/impermeability prior to use.

Suitable material CR (polychloroprene, chloroprene rubber) , NBR (Nitrile rubber) , Butyl caoutchouc (butyl rubber) , NR (natural rubber, Natural latex)

Breakthrough time 480 min

Thickness of the glove material Polychloroprene - CR (0.5 mm) Nitrile rubber/nitrile latex - NBR (0.35 mm) Butyl rubber - Butyl (0.5 mm)

Required properties : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

Remark : Check leak tightness/impermeability prior to use. Breakthrough times and swelling properties of the material must be taken into consideration.

Body protection

Wear anti-static footwear and clothing
Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres
Chemical resistant safety shoes DIN EN 13832-2

Respiratory protection

Usually no personal respiratory protection necessary.

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid

Colour : blue

Odour : Aldehyde

Safety characteristics

Physical state :			Liquid	
Melting point/freezing point :			not relevant	
Initial boiling point and boiling range :	(1013 hPa)	approx.	100	°C
Decomposition temperature :			not determined	
Flash point :			not applicable	
Auto-ignition temperature :			not applicable	
Lower explosion limit :			not applicable	
Upper explosion limit :			not applicable	
Vapour pressure :	(50 °C)		not applicable	
Density :	(20 °C)		1,08 - 1,09	g/cm ³
Solvent separation test :	(20 °C)		not applicable	
Water solubility :	(20 °C)		1 - 100	Weight-%
Fat solubility :	(20 °C)		Not determined.	
pH :			4,8 - 5,8	
log P O/W :			not determined	
Flow time :	(20 °C)		not relevant	DIN-cup 4 mm
Viscosity :	(20 °C)		not determined	
Cinematic viscosity :	(40 °C)		not relevant	
Odour threshold :			not determined	
Relative vapour density :	(20 °C)		not determined	
Vapourisation rate :			not determined	
Maximum VOC content (EC) :			0	Weight-%
Flammable solids :		Not applicable.		
Flammable gases :		Not applicable.		
Oxidising liquids :		Not relevant.		
Explosive properties :		Not applicable.		
Corrosive to metals :		Not relevant.		

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

See section 7 of the safety data sheet.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful by inhalation and if swallowed.

Corrosion

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Sensitisation to the respiratory tract

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

SECTION 12: Ecological information

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

12.1 Toxicity

The product has not been tested. The statement is derived from the properties of the single components.

Aquatic toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8 Additional ecotoxicological information

Additional information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose according to legislation.

13.2 Additional information

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

UN 1760

14.2 UN proper shipping name

Land transport (ADR/RID)

CORROSIVE LIQUID, N.O.S. (GLUTARAL)

Sea transport (IMDG)

CORROSIVE LIQUID, N.O.S. (GLUTARAL)

Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, N.O.S. (GLUTARAL)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es) : 8
Classification code : C9

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

Hazard identification number (Kemler No.) : 80
Tunnel restriction code : E
Special Provisions : LQ 1 | E 2
Hazard label(s) : 8

Sea transport (IMDG)

Class(es) : 8
EmS-No. : F-A / S-B
Special Provisions : LQ 1 | E 2
Hazard label(s) : 8

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 8
Special Provisions : E 2
Hazard label(s) : 8

14.4 Packing group

II

14.5 Environmental hazards

Land transport (ADR/RID) : No
Sea transport (IMDG) : No
Air transport (ICAO-TI / IATA-DGR) : No

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Biocide directive ((EU) No. 528/2012)

Authorisations and/or restrictions on use

Authorisations

N-69378, Active substance: Glutarale 10 g / 100 g (CAS:111-30-8). Salicylic acid 1 g / 100g (CAS: 69-72-7). PT3

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 40, 75

National regulations

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : 5 - 10 %

Water hazard class

Classification according to AwSV - Class : 3 (Strongly hazardous to water)

15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :


Sulfonic acids, C14-17-sec-alkane, sodium salts ; REACH No. : 01-2119489924-20-0000 ; EC No. : 307-055-2; CAS No. : 97489-15-1

SALICYLIC ACID ; REACH No. : 01-2119486984-17-XXXX ; EC No. : 200-712-3; CAS No. : 69-72-7

Safety Data Sheet

according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways
ATE = Estimated values for acute toxicity
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water
CAS = Chemical Abstract Service Number
CE = European Community
CLP = EC Regulation 1272/2008
CMR = cancerogen mutagen reprotoxic
DIN = German Institute for Standardisation
DNEL = Derived No Effect Level
DMEL = Derived Minimum Effect Level
EC50 = Mean effective concentration that induces a defined effect other than death in a test population
EG = European Community
EN = European standards
IATA = International Air Transport Association Dangerous Goods Regulation
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities
IMDG = International Maritime Code for dangerous goods
ISO = International Organization for Standardization
LC50 = Lethal Concentration 50%
LD50 = Lethal dose 50%
MAK = Maximum workplace concentration
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter
NOEC = No Observed Effect Concentration
OECD = Organisation for Economic Cooperation and Development
PBT = Persistent, bioaccumulative and toxic
pH = potential of hydrogen
PNEC = Predicted no effect concentration
PPM = parts per million
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)
RID = Regulation concerning the international transport of dangerous goods by train
TRGS = Technical rules for hazardous substances (german rules)
TWA = Time-weighted average exposure limit
UN-Number = UN number for the transport of dangerous goods
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation
VOC = Volatile organic Compounds

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]



Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

16.5 Relevant H- and EUH-phrases (Number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Safety Data Sheet
according to Regulation (EC) No.
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü Hoof-Sprint Spray
Revision date : 27.11.2023
Print date : 11.12.2024

Version (Revision) : 5.0.0 (4.0.0)

H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
