

**Safety Data Sheet**  
according to Regulation (EC) No.  
1907/2006 (REACH)

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

**SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

**1.1 Product identifier**

eimü 30  
Unique Formula Identifier (UFI) : Q2S0-W016-F004-1WA2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
**Relevant identified uses**

Disinfectant

**1.3 Details of the supplier of the safety data sheet**

**Supplier**

Ferdinand Eimermacher GmbH & Co. KG

**Street :** Westring 24

**Postal code/City :** 48356 Nordwalde

**Country :** Deutschland

**Telephone :** +49 2573/9390-0

**Telefax :** +49 2573/2053

**Information contact :** info@eimermacher.de  
www.eimermacher.de

**1.4 Emergency telephone number**

Germany: Poisons Information Centre Berlin  
Charité – Universitätsmedizin Berlin  
Campus Benjamin Franklin  
Haus VIII, UG  
Hindenburgdamm 30  
D-12203 Berlin  
+49(0)30/30686 700, Internat. INFOTRAC +1 3523233500

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.  
Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.  
STOT RE 2 ; H373 - STOT-repeated exposure : Category 2 ; May cause damage to organs through prolonged or repeated exposure.

**2.2 Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



Health hazard (GHS08) · Corrosion (GHS05)

**Signal word**

Danger

**Hazard components for labelling**

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü 30  
Revision date : 09.09.2024  
Print date : 04.12.2024

Version (Revision) : 7.0.0 (6.0.0)

Alcohols, C12-14, ethoxylated (N=8) C12-14 pareth-8 ; CAS No. : 68439-50-9  
Alcohols, C9-11, ethoxylated ; CAS No. : 68439-46-3  
L-(+)-lactic acid ; CAS No. : 79-33-4  
IODINE ; CAS No. : 7553-56-2

#### Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.  
H318 Causes serious eye damage.  
H315 Causes skin irritation.

#### Precautionary statements

P260 Do not breathe gas/mist/vapours.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves and eye protection.  
P310 Immediately call a POISON CENTER/doctor.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 Dispose of contents/container to to hazardous or special waste collection point

### 2.3 Other hazards

#### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

Alcohols, C12-14, ethoxylated (N=8) C12-14 pareth-8 ; CAS No. : 68439-50-9  
Weight fraction :  $\geq 5 - < 10$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Chronic 3 ; H412

Alcohols, C9-11, ethoxylated ; CAS No. : 68439-46-3  
Weight fraction :  $\geq 3 - < 5$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

PHOSPHORIC ACID ; REACH No. : 01-2119485924-24-XXXX ; EC No. : 231-633-2; CAS No. : 7664-38-2  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Met. Corr. 1 ; H290 Skin Corr. 1B ; H314 Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319  
Specific Conc. Limits : Eye Dam. 1 ; H318: C  $\geq 25$  % • Skin Corr. 1B ; H314: C  $\geq 25$  % • Skin Corr. 1C ;  
H314: C  $\geq 25$  % • Eye Irrit. 2 ; H319: C  $\geq 10$  % • Skin Irrit. 2 ; H315: C  $\geq 10$  %

L-(+)-lactic acid ; REACH No. : 01-2119774164-39-0000 ; EC No. : 201-196-2; CAS No. : 79-33-4  
Weight fraction :  $\geq 1 - < 3$  %  
Classification 1272/2008 [CLP] : Skin Corr. 1C ; H314 Eye Dam. 1 ; H318 EUH071

IODINE ; REACH No. : 01-2119485285-XXXX ; EC No. : 231-442-4; CAS No. : 7553-56-2  
Weight fraction :  $\geq 1 - < 2,5$  %  
Classification 1272/2008 [CLP] : STOT RE 1 ; H372 Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 Acute Tox. 4 ; H332  
Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 STOT SE 3 ; H335 Aquatic Acute 1 ; H400

Specific Conc. Limits : (M=1)

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

In case of skin reactions, consult a physician. Wash immediately with: Water and soap

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately (poison centre).

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information). (Further) symptoms and/or effects are not yet known. In our experience, no special hazards are to be expected if the product is handled properly and is used as intended.

### 4.3 Indication of any immediate medical attention and special treatment needed

treatment: Symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Foam , Carbon dioxide (CO<sub>2</sub>) , Dry extinguishing powder , Sand  
Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Full protection suit , Use suitable breathing apparatus.

### 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8. Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up



Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists

Use only in well-ventilated areas.

#### Protective measures

##### Measures to prevent fire

Usual measures for fire prevention.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Protect against UV-radiation/sunlight , Heat.

#### Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container. Keep container tightly closed.

#### Hints on joint storage

**Storage class (TRGS 510) :** 12

### 7.3 Specific end use(s)

Observe instructions for use. see section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

PHOSPHORIC ACID ; CAS No. : 7664-38-2

Limit value type (country of origin) : TRGS 900 ( D )

Parameter : E: inhalable fraction

Limit value : 2 mg/m<sup>3</sup>

Peak limitation : 2(I)

Remark : Y

Version : 27.10.2020

Limit value type (country of origin) : STEL ( EC )

Limit value : 2 mg/m<sup>3</sup>

Version : 20.06.2019

Limit value type (country of origin) : TWA ( EC )

Limit value : 1 mg/m<sup>3</sup>

Version : 20.06.2019

IODINE ; CAS No. : 7553-56-2

Limit value type (country of origin) : TRGS 900 ( D )

Limit value : 0,1 ppm / 1,1 mg/m<sup>3</sup>

Peak limitation : 1(I)

Remark : H

Version : 02.04.2014

#### DNEL-/PNEC-values

##### DNEL/DMEL

PHOSPHORIC ACID ; CAS No. : 7664-38-2

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü 30  
Revision date : 09.09.2024  
Print date : 04.12.2024

Version (Revision) : 7.0.0 (6.0.0)

Limit value type : DNEL Consumer (local)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 0,36 mg/m<sup>3</sup>  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Oral  
Exposure frequency : Long-term  
Limit value : 0,1 mg/kg  
Limit value type : DNEL Consumer (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 4,57 mg/l  
Limit value type : DNEL worker (local)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 1 mg/m<sup>3</sup>  
Limit value type : DNEL worker (local)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 2 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 10,7 mg/l  
IODINE ; CAS No. : 7553-56-2  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Short-term  
Limit value : 0,01 mg/kg bw/day  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 1 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 0,01 mg/kg bw/day  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 0,07 mg/m<sup>3</sup>

## PNEC

L-(+)-lactic acid ; CAS No. : 79-33-4  
Limit value type : PNEC (Industrial)  
Exposure route : Water (Including sewage plant)  
Exposure time : Short-term  
Limit value : 10 mg/l  
IODINE ; CAS No. : 7553-56-2  
Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 0,01813 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 0,06 mg/l  
Limit value type : PNEC (Sediment, freshwater)

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

eimermacher since 1910



Trade name : eimü 30  
Revision date : 09.09.2024  
Print date : 04.12.2024

Version (Revision) : 7.0.0 (6.0.0)

Limit value : 3,99 mg/kg dw  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 20,22 mg/kg dw  
Limit value type : PNEC (Soil)  
Exposure route : Soil  
Limit value : 5,95 mg/kg dw  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 11 mg/l

## 8.2 Exposure controls

### Personal protection equipment

Use personal protection equipment.

#### Eye/face protection



Eye glasses with side protection EN 166

#### Skin protection

##### Hand protection



**By short-term hand contact** : Suitable gloves type Disposable gloves. NBR (Nitrile rubber)

**By long-term hand contact** : Check leak tightness/impermeability prior to use.

Suitable material Butyl caoutchouc (butyl rubber) , NBR (Nitrile rubber)

Breakthrough time 480 min

Thickness of the glove material 5 mm

**Remark** : When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. EN ISO 374

##### Body protection

Wear anti-static footwear and clothing

Protective clothing. EN 13034 Natural fibres (e.g. cotton) , heat-resistant synthetic fibres

Chemical resistant safety shoes DIN EN 13832-2

#### Respiratory protection

Usually no personal respirative protection necessary.

#### General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance** : Liquid  
**Colour** : brown  
**Odour** : characteristic

#### Safety characteristics

**Physical state** : Liquid  
**Melting point/freezing point** : not determined  
**Decomposition temperature** : not determined  
**Flash point** : not applicable

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

<b>Auto-ignition temperature :</b>			not applicable
<b>Lower explosion limit :</b>			not applicable
<b>Upper explosion limit :</b>			not applicable
<b>Density :</b>	( 20 °C )	1,035	g/cm <sup>3</sup>
<b>Water solubility :</b>	( 20 °C )	0 - 100	Weight-%
<b>Fat solubility :</b>	( 20 °C )	Not determined.	
<b>pH :</b>	( 20 °C / 10 g/l )	approx.	2,5
<b>log P O/W :</b>			not determined
<b>Viscosity :</b>	( 20 °C )		not determined
<b>Cinematic viscosity :</b>	( 40 °C )		not relevant
<b>Odour threshold :</b>			not determined
<b>Relative vapour density :</b>	( 20 °C )		not determined
<b>Vapourisation rate :</b>			not determined
<b>Flammable solids :</b>		Not applicable.	
<b>Flammable gases :</b>		Not applicable.	
<b>Oxidising liquids :</b>		Not relevant.	
<b>Explosive properties :</b>		Not applicable.	
<b>Corrosive to metals :</b>		Not relevant.	

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

See section 7 of the safety data sheet.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Corrosion

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

##### Carcinogenicity

# Safety Data Sheet

according to Regulation (EC) No.  
1907/2006 (REACH)

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

Based on available data, the classification criteria are not met.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **11.2 Information on other hazards**

Endocrine disrupting potential:

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other indications of toxicity

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

The product has not been tested. The statement is derived from the properties of the single components.

#### **Aquatic toxicity**

Based on available data, the classification criteria are not met.

### **12.2 Persistence and degradability**

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

### **12.3 Bioaccumulative potential**

No information available.

### **12.4 Mobility in soil**

No information available.

### **12.5 Results of PBT and vPvB assessment**

This product does not contain components in concentrations of 0.1% or higher which are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **12.6 Endocrine disrupting properties**

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine damaging properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### **12.7 Other adverse effects**

The product does not contain any substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### **12.8 Additional ecotoxicological information**

#### **Additional information**

Do not allow uncontrolled discharge of product into the environment.



**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose according to legislation.

### 13.2 Additional information

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe technical data sheet or other information on the label.

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 75

##### National regulations

Biocide directive ((EU) No. 528/2012)

##### Water hazard class

Classification according to AwSV - Class : 2 (Obviously hazardous to water)

### 15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this preparation. For the following substances of this mixture/preparation a chemical safety assessment has been carried out :

PHOSPHORIC ACID ; REACH No. : 01-2119485924-24-XXXX ; EC No. : 231-633-2; CAS No. : 7664-38-2

L-(+)-lactic acid ; REACH No. : 01-2119774164-39-0000 ; EC No. : 201-196-2; CAS No. : 79-33-4

IODINE ; REACH No. : 01-2119485285-XXXX ; EC No. : 231-442-4; CAS No. : 7553-56-2 (M=1)

## SECTION 16: Other information

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 11. Acute toxicity · 11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. Respiratory or skin sensitisation · 11. Carcinogenicity · 11. Germ cell mutagenicity · 11. Reproductive toxicity · 11. STOT-single exposure · 11. STOT-repeated exposure · 11. Aspiration hazard · 12. Aquatic toxicity · 15. Restrictions on use · 15. Water hazard class · 15. Sum substances WGK

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the carriage of Dangerous goods by Road  
ADN = European Agreement concerning the Carriage of Dangerous Goods by Inland Waterways  
ATE = Estimated values for acute toxicity  
AwSV = Ordinance on Installations for Handling Substances Hazardous to Water  
CAS = Chemical Abstract Service Number  
CE = European Community  
CLP = EC Regulation 1272/2008  
CMR = cancerogen mutagen reprotoxic  
DIN = German Institute for Standardisation  
DNEL = Derived No Effect Level  
DMEL = Derived Minimum Effect Level  
EC50 = Mean effective concentration that induces a defined effect other than death in a test population  
EG = European Community  
EN = European standards  
IATA = International Air Transport Association Dangerous Goods Regulation  
IBC-Code = International Code for the construction and equipment of ships carrying dangerous chemicals in large quantities  
IMDG = International Maritime Code for dangerous goods  
ISO = International Organization for Standardization  
LC50 = Lethal Concentration 50%  
LD50 = Lethal dose 50%  
MAK = Maximum workplace concentration  
MARPOL = International Convention for the Protection of the Marine Environment from Ship-generated Litter  
NOEC = No Observed Effect Concentration  
OECD = Organisation for Economic Cooperation and Development  
PBT = Persistent, bioaccumulative and toxic  
pH = potential of hydrogen  
PNEC = Predicted no effect concentration  
PPM = parts per million  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals (EC Regulation 1907/2006)  
RID = Regulation concerning the international transport of dangerous goods by train  
TRGS = Technical rules for hazardous substances (german rules)  
TWA = Time-weighted average exposure limit  
UN-Number = UN number for the transport of dangerous goods  
vPvB = Very Persistent and very Bioaccumulative as for REACH Regulation  
VOC = Volatile organic Compounds

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]


Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

**Safety Data Sheet**  
**according to Regulation (EC) No.**  
**1907/2006 (REACH)**

**eimermacher** since 1910



**Trade name :** eimü 30  
**Revision date :** 09.09.2024  
**Print date :** 04.12.2024

**Version (Revision) :** 7.0.0 (6.0.0)

---

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---